



# **Centric 8 Version 6.0**

## **Service Pack 1 (SP1)**

**Software version C8 6.0 SP1**  
**February, 2017**



Centric Software, Inc.  
655, Campbell Technology Parkway,  
Suite 200, Campbell, CA 95008  
Phone: 1.408.574.7802

Technical Support:  
1.866.796.6218 8:00 AM-8:00 PM EST  
Email: [support@centricsoftware.com](mailto:support@centricsoftware.com)

Documentation Feedback:  
[documentation@centricsoftware.com](mailto:documentation@centricsoftware.com)

Copyright © 2017 Centric Software. All rights reserved. Under the copyright laws, neither the documentation nor the software may be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine-readable form, in whole or in part, without the prior written consent of Centric Software, Inc., except in the manner described in the documentation. Centric Software™, Centric 8™, and Centric 8 for Fashion & Soft Goods™ are trademarks or registered trademarks of Centric Software, Inc. Microsoft, Internet Explorer, and Outlook are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Other product or company names mentioned herein may be trademarks of their respective owners.

# Table of Contents

1. SUMMARY .....	3
2. NEW FEATURES / ENHANCEMENTS .....	3
A. <i>Centric 8 Base</i> .....	3
B. <i>Product Specification</i> .....	6
C. <i>Sourcing</i> .....	7
D. <i>Import/Export</i> .....	7
3. BUG FIX LIST .....	8
4. UPGRADE INSTRUCTIONS .....	13

## 1. Summary

Centric 8 version 6.0 Service Pack 1 (SP1) includes all previously released updates for Centric 8 version 6.0. It has new features, general performance improvements and fixes for several issues reported in the field by our customers.

Version Number	
Centric 8	6.0 SP1 –

## 2. New Features / Enhancements

#	Feature	Description
A	CENTRIC 8 BASE	<a href="#">UI Refresh: Revision Toolbar</a> <a href="#">UI Refresh: Select controls in pop-up tables</a> <a href="#">Ad hoc PDF request of a data sheet does not update modified time or modified by</a>
B	PRODUCT SPECIFICATION	<a href="#">Delete of Style Sample does not delete associated Size Chart Review</a>
C	SOURCING	<a href="#">Create/copy Samples and Quotes on Supplier Request</a>
D	IMPORT/EXPORT	<a href="#">Native Import support for enumlist and stringlist attribute types</a>

### A. Centric 8 Base

#### ■ UI Refresh: Revision Toolbar

The controls for revisable items have been simplified and navigation between revisions has been made easier. Navigating between phase and revisions can be accomplished with simple drop-down menus.

*Figure 1: Phase Navigation*




Figure 2: Revision navigation with drop-down menu





Figure 3: Revision navigation with popup



#### ▪ UI Refresh: Select controls in popup tables

In pop-up tables (which are displayed in the Selection dialog boxes) where the user can select items, the **Select** cell is now a column instead of appearing merged with the first column. When you select the check box corresponding to the required item, the row is highlighted.

Figure 4: Select column - BEFORE

The screenshot shows the 'New from Brand' dialog box. At the top, there are controls for 'Views' (set to 'Default'), a search icon, a refresh icon, 'Results: 20', and a 'Suspend' toggle. Below this is a table with the following columns: Brand, Code, Description, Number of Styles, and Season. The 'Brand' column header is highlighted with a red box. The table contains 8 rows of data, including 'All', 'CASUALLY', 'Couture', 'Informal', 'JIGSAW', 'Live it UP', and 'SMILE'. At the bottom right, there are 'Save' and 'Cancel' buttons.

Brand	Code	Description	Number of Styles	Season
All	All	All	All	All
<input type="checkbox"/> CASUALLY	BCA	Casual Brand	7	Spring-Summer 2018
<input type="checkbox"/> Couture			0	Summer2017
<input type="checkbox"/> Informal	CA	Casual Brand	4	Fall 2018
<input type="checkbox"/> JIGSAW	JG	Sports Apparel	0	Fall-Winter 2016/2017
<input type="checkbox"/> Live it UP	CL	Sportswear	0	Fall 2018
<input type="checkbox"/> SMILE	FW	Formal Wear	0	Fall 2018

Displaying 8 result(s).

Figure 5: Select column - NOW

The screenshot shows the 'New from Brand' dialog box after a column selection. The 'Brand' column header is highlighted with a red box. The table now shows 5 rows of data, including 'All', 'Brand1', 'Live it UP', 'SMILE', and 'Young Fashion'. The 'Live it UP' and 'SMILE' rows are selected, indicated by blue shading and checked checkboxes. At the bottom right, there are 'Save' and 'Cancel' buttons.

Brand	Code	Description	Number of Styles	Season
<input type="checkbox"/> All	All	All	All	All
<input type="checkbox"/> Brand1			2	Season1
<input checked="" type="checkbox"/> Live it UP	LIU	High end western wear for Women	0	Spring 2015
<input checked="" type="checkbox"/> SMILE			0	Spring 2016
<input type="checkbox"/> Young Fashion			4	Spring 2015

Displaying 4 result(s).

- **Ad hoc PDF request of a data sheet does not update modified time or modified by attributes**

In this release, the system has been changed such that it does not record the change made to a data sheet when a PDF is requested as a user modification of the data sheet.

**B. Product Specification**

▪ **Delete of Style Sample does not delete associated Size Chart Review**

Deleting a Style Sample will not delete any associated Size Chart Review. Deletion of the **Size Chart Review** and deletion of the **Style Sample** are independent of each other.

Figure 6: Size Chart Review containing three Style Samples

Size Chart Review	Size Chart	Size Chart Revision	State	State Modified Date	State Modified By	Supplier	Samples	Actions
All	All	All	All	All	All	All	All	
Size Chart Review	Size Chart	2	APPROVED	2/15/17, 9:45 PM	Administrator	Fabric King	Sample-L Sample-M Sample-S	✕

Displaying 1 result(s).

Figure 7: Sample-S deleted

Sample	Size	Supplier	Data Sheets		Actions
			Data Sheet	Type	
All	All	All	All	All	
Sample-S	S	Fabric King	Size Chart Review	Size Chart Review	⋮ ✎ 🗑️ ✕
Sample-M	M	Fabric King	Size Chart Review	Size Chart Review	⋮ ✎ 🗑️ ✕
Sample-L	L	Fabric King	Size Chart Review	Size Chart Review	⋮ ✎ 🗑️ ✕

Displaying 3 result(s).

Figure 8: Deletion of the S Style Sample does not delete the Size Chart Review

Size Chart Reviews								
Views	Review					Results: 20	Suspend <input type="checkbox"/>	
Size Chart Review	Size Chart	Size Chart Revision	State	State Modified Date	State Modified By	Supplier	Samples	Actions
All	All	All	All	All	All	All	All	
Size Chart Review	Size Chart	2	APPROVED	2/15/17, 9:45 PM	Administrator	Fabric King	Sample-L Sample-M	

Displaying 1 result(s).

### C. Sourcing

- **Create/copy Samples and Quotes on Supplier Request**

When copying a quote or a sample in a Supplier Request, users can now select a different **Color** and/or **Size** for the new node.

**Copy** ✕

Supplier\*

Product on SR\*

Supplier Quote

Colors

Sizes

None  
 M  
 S  
 L  
[Go to Dialog...](#)

[Cancel](#)



This feature is not available to the Online Supplier Portal Users.

### D. Import/Export

Now that the UI supports enumlist attributes, these attributes are used by OTB and custom attributes. Import also supports these attribute types as they become common in Centric 8.

### 3. Bug Fix List

This release includes the following bug fixes:

#	SF/DE Number	Title	Description
1	DE30623	Issue related to <b>Image Label</b> option in Season level, Style Gallery views	When users set the <b>Image Label</b> attribute in the custom <b>Views</b> for the <b>Style Gallery</b> view, the values in the attribute were not displayed as expected. This issue is now resolved.
2	DE30618/ SF21776	Issue related to display of Colorways while copying a Sample in a Supplier Request	When users copied a Sample in a Supplier Request, not all the Colorways for the style was displayed in the Sample <b>Copy</b> dialog. Only the Colorways of the original Sample were displayed to the user. This issue is now resolved.
3	DE30602	Issue related to support of <b>Style Config</b> options <b>DefaultImageOnColorwayCreate</b> and <b>ValidateMCMaterialColors</b>	<b>Export/Import</b> config did not support <b>Style Config</b> options <b>DefaultImageOnColorwayCreate</b> and <b>ValidateMCMaterialColors</b> . This issue is now resolved.
4	DE30206	Issue related to the display of <b>Refresh</b> icon in the <b>Manage Images</b> dialog	In the <b>Manage Images</b> dialog, the <b>Refresh</b> icon in the toolbar was not displayed to the users. This issue is now resolved.
5	DE30582	On the <b>Size Chart ▶ Dimensions</b> tab, when a value was typed into one cell in the grade matrix, the other sizes were not auto populated with 0	On the Size Chart <b>Dimensions</b> tab, when users entered an increment value into one cell, all other cell values were not initialized to 0. This issue is now resolved.
6	DE30581	Issue related to display of secondary dimension values when <b>Base Size Only</b> view option was selected from the <b>Custom Views</b> dialog box	When users selected the <b>Base Size Only</b> view option from the custom <b>Views</b> dialog box on the <b>Size Chart ▶ Dimensions</b> tab, all the Secondary dimension values, along with the <b>Base Size</b> values were displayed to the user, when only the Base Sizes should have been displayed. This issue is now resolved.
7	DE30580	Issue related to availability of <b>Delete</b> button under <b>Actions</b> drop-down on <b>Home ▶ Specification ▶ Templates ▶ Size Chart ▶ Dimensions</b> tab	On <b>Home ▶ Specification ▶ Templates ▶ Size Chart ▶ Dimensions</b> tab, the <b>Delete</b> button to delete the POMs was not available to the user under the <b>Actions</b> drop-down. The <b>Delete</b> option is now available to the User.
8	DE30579	Size Chart Increment values were not calculated as expected when switching between different Display modes	In the Size Chart Increment library, when users switched between different display modes (Absolute and Relative), the values were not calculated correctly. This issue is now resolved.
9	DE30563	Issue related to display of code attribute value while moving a <b>Style</b> from one Collection to another Collection.	While the <b>Style Number Auto Generate</b> value was set to <b>"True"</b> in the <b>Setup</b> page, when moving a <b>Style</b> from one <b>Collection</b> to another, the code attribute value was incremented. This issue is now resolved.




#	SF/DE Number	Title	Description
10	DE30562	Issue related to <b>ref</b> attribute value when creating a Style from Merch product	When creating a new Style from Merch product with empty merch product version ref attribute value, the ref attribute with empty value was pushed to style. This issue is now resolved.
11	DE30560	Issue related to <b>Restore Increments</b> action in Size Chart	When users selected the <b>Restore Increments</b> action in <b>Size Chart</b> to reset the increment, the single dimension POMs were not reset as expected. This issue is now resolved.
12	DE30559/ SF21696	Tolerance values were not set as expected while creating a new <b>Size Chart</b> or <b>Size Chart Template</b>	When users created a new <b>Size Chart</b> or <b>Size Chart Template</b> and set a <b>Product Group</b> to it, the tolerances provided in the <b>Product Group</b> were not set in the newly created <b>Size Chart</b> or <b>Size Chart Template</b> . This issue is now resolved.
13	DE30549/ SF24687	Issue related to availability of <b>Sort</b> option in Gallery views	In a Gallery view, the <b>Sort</b> tab was not displayed to the users in the <b>Custom Views</b> dialog. This issue is now resolved.
14	DE30527/ SF21625	Issue related to display of Colorway Image in Style gallery view	When users specified an <b>Image Width</b> and/or <b>Image Height</b> other than the standard image size in the Style gallery view, the Colorway images were not displayed as expected. This issue is now resolved.
15	DE30524	Issue related to display of <b>Secondaries</b> set of attributes when a Root Row was applied	In Merchandising, when users selected the <b>Hide Root Row</b> option for a Product, the <b>Secondaries</b> set of attributes were not displayed to the user. This issue is now resolved.
16	DE30523	On copying Shape Master, the Parent was not set as expected	When users copied a Shape Master, assigned to a Shape Security Group, the Shape Security group was not copied. Also, the Parent was not set as expected. This issue is now resolved.
17	DE30520	Issue related to occurrence of Null pointer exception when notifying Supplier agent users.	When the agent is not an online supplier, on notifying this to the Supplier Agent users, occurrence of a null pointer exception was noted. This issue is now resolved.
18	DE30568 and DE30506/ SF21583	Issue related to display of percentage values in Charts	When users created charts with percentage values, the values displayed in the chart were not formatted as expected. This issue is now resolved.
19	DE30505	Issue related to display of <b>Modified</b> attribute value on <b>Home ▶ Style ▶ Season ▶ Styles</b> tab	On <b>Home ▶ Style ▶ Season ▶ Styles</b> tab, when users added the <b>Modified</b> attribute from custom view, it displayed only the date value. The time value was not displayed to the users. This issue is now resolved.
20	DE30447	In a Style Data Package, users were unable to select documents from Theme and Shape	For a Shape and/or Theme within a Style, in the Style Data Package, users were not able to select documents from the Shape and/or Theme. This issue is now resolved.

#	SF/DE Number	Title	Description
21	DE30488	Issue related to addition of continuous expression to an existing attribute	When users added a continuous expression to an existing attribute, on running <b>Update Configuration</b> , the expression was added to the attribute only when new nodes were created. This issue is now resolved.
22	DE30484/ SF21579	Issue related to the existence of trailing space in the name of a validation rule	A validation rule name consisting of a trailing space did not configure as expected when the users performed import/export configuration. This issue is now resolved.
23	DE30468	Issue related to display of <b>Modified</b> and <b>Modified By</b> attributes on <b>Home ▶ Specification ▶ Libraries</b> tab	On <b>Home ▶ Specification ▶ Libraries</b> tab, when users opened the custom view, the <b>Modified</b> and <b>Modified By</b> attributes were displayed for each library type (color spec library, material library, care label library etc.). This issue is now resolved.
24	DE30458	Issue related to display of ONE_TIME_ROLLUP flag	When an expression was evaluated by Rollup, the ONE_TIME_ROLLUP flag was not removed. This issue is now resolved.
25	DE30444	Issue related to the working of Rule Expression <b>hasRole()</b>	The rule expression <b>hasRole()</b> was not working as expected. This issue is now resolved.
26	DE30457	Issue related to Supplier selection based on Agent	Users were unable to select Suppliers on a Style based on the assigned Agent. This issue is now resolved.
27	DE30434/ SF21491	Issue related to display of error messages when editing <b>SampleStatus</b> and <b>SampleType</b> attributes on BO Production Sample	When users tried to edit the <b>SampleStatus</b> and <b>SampleType</b> attributes on BO Production Sample in the <b>Setup</b> page, an error message was displayed to the user. This issue is now resolved.
28	DE30430/ SF21395	Issue related to importing of data from DB SQL on localized string	When users tried to upload a multi-language string attribute with the attribute value having a comma (“,”), then if any error occurred on the uploaded data, the error was not displayed in the Centric 8 log file. This issue is now resolved.
29	DE30427/ SF21484	Issue related to <b>Restrict Drag Edits</b> option on <b>Product Attributes</b> Business Object	Users were able to drag the <b>Size Range</b> attribute values on the <b>Style</b> table, even though the <b>Restrict Drag Edits</b> option was set to “ <b>TRUE</b> ” on the <b>Product Attributes</b> Business Object. This issue is now resolved.
30	DE30424	Issue related to navigation through hierarchy	Users experienced slowness in navigating through hierarchy. This issue is now resolved.
31	DE30395	Issue related to display of <b>US Size</b> column on the Increment matrix	If an increment had 2-dimension size range selected, the <b>US Size</b> column was not displayed to the user. This issue is now resolved.
32	DE30370	Issue related to display of Freeze Shipment dialog message on <b>Home ▶ Sourcing ▶ Supplier PO ▶ Supplier PO</b> tab	On <b>Home ▶ Sourcing ▶ Supplier PO ▶ Supplier PO</b> tab, when users tried to freeze a shipment with <b>Shipment Qty</b> value as 0, a confirmation dialog was displayed. The content of the <b>Freeze Shipment</b> dialog box was not as expected. The

#	SF/DE Number	Title	Description
			content in the <b>Freeze Shipment</b> dialog has now been changed.
33	DE30353	Issues related to display of <b>Manage Image Labels</b> confirmation dialog message	When users tried to delete an <b>Image Label</b> , a confirmation dialog was displayed. The title in the confirmation dialog was not as expected. The confirmation dialog title has now been changed.
34	DE30345	Issue related to keyboard TAB actions on <b>Delete</b> alert dialog box	The keyboard TAB options were not working as expected on any of the <b>Delete</b> alert dialog box throughout the application. This issue is now resolved.
35	DE30281	Issue related to removal of selected user in <b>Send Email</b> dialog	In the <b>Send Email</b> dialog, when there were multiple users in the <b>To</b> field, users could delete the first user in single click. But users had to click the <b>Remove</b> button twice to remove the subsequent users in the <b>To</b> field. This issue is now resolved.
36	DE30275/ SF21347	Issue related to display of attribute name in the header rows for Secondary view	When users added only one attribute to the secondary view from custom view, the attribute name was not displayed in the header rows. This issue is now resolved.
37	DE30235	Issue related to display of Tag value count on <b>Home ▶ Specification ▶ Size Chart ▶ Dimensions</b> tab	When users added a new <b>Tag</b> value on <b>Home ▶ Specification ▶ Size Chart ▶ Dimensions</b> tab, incorrect count value was displayed to the user. This issue is now resolved.
38	DE30218	Issue related to display of server error message on <b>Edit Colors</b> dialog in <b>Placements</b> tab	In the Edit Colors dialog on <b>Placements</b> tab, when users clicked on <b>Save</b> button without selecting any Placement value, a server error message was displayed to the user. This issue is now resolved.
39	DE30157	Issue related to display of charts in Table view	When users created more than one chart in any Table view across the Centric 8 application, in <b>Print Preview</b> , the charts were displayed as overlapped. This issue is now resolved.
40	DE30141	Issue related to removal of hyperlinks on <b>Setup ▶ User Managements ▶ Announcements</b> tab	Users were unable to un-link the created hyperlink on the <b>Setup ▶ User Managements ▶ Announcements</b> tab. This issue is now resolved.
41	DE30129	Issues related to display of drop-down field widget on the <b>Security Group</b> field for Materials.	The drop-down field widget value was not displayed as expected on the <b>Security Group</b> field for Materials. Also, the drop-down field widget appeared even when the users scrolled down the <b>Security Group</b> field. These issues are now resolved.
42	DE30109	Issue related to cleaning up of old images for Styles created across Centric 8	When users revised, an image attached to a Style and checked in the revisions, old images

#	SF/DE Number	Title	Description
			were displayed along with the newly checked in file. This issue is now resolved.
43	DE29314/ SF20857	Issue related to display of rich text in the Canvas Editor	When users created a Style Review with some rich text for a Style, it was displayed as expected in the Canvas UI. However, the display in the Canvas Editor was not as expected. This issue is now resolved.
44	DE28959/ SF20482	Issue related to activation of <b>Save</b> button on Single select pop-up dialogs	On the <b>Single</b> select pop-up dialogs, the <b>Save</b> button was available for selection even when the users did not make any selection in the pop-up dialog box. This issue is now resolved.
45	DE30619	Issue related to the display of attributes in the table of Business Objects	When users selected a specific option for sorting the attributes in the table of attributes for a Business Object, the attributes were not sorted as expected. This issue is now resolved.
46	DE30625	Issue related to highlighting of Base Size between 1-D POMs and 2-D POMs in a 2-D Size Chart	In a 2-D Size Chart that had a combination of one dimensional POMs and two dimensional POMs, the Base Size highlighting was not consistent. This issue is now resolved.

## 4. Upgrade Instructions

	<p>Service Pack upgrade involves updating of database schema procedures. This requires considerable amount of time depending on the database size. It is therefore recommended that users be prepared for the down time.</p>
---	--

1. Stop the services on all PDF and Image Servers.
2. Stop Centric Wildfly Service, close the **Services** Window. Delete the C8 log files.
3. Backup the following before you start the installation process:
  - Database
  - WebAccess folder. It is critical to back up the WebAccess folder. The configuration files (**Site.js**, **Site.xml**, **Site.css**, **en.js**, and **UploadOMAndTemplates.xml**) from this backup will be needed later in the upgrade installation process.
  - **Standalone.conf.bat** (found in ...\**C8\Wildfly-9.0.1\bin** folder)
  - If Centric 8 is using SQL database, backup **standalone-pi.mssql.xml** (found in ...\**C8\Wildfly-9.0.1\standalone\configuration** folder). If Centric 8 is using Oracle database, backup **standalone-pi-oracle.xml** (found in ...\**C8\Wildfly-9.0.1\standalone\configuration** folder)
  - **Pi-wildfly-9.0.1.properties** file (found in ...\**C8\Wildfly-9.0.1\standalone\configuration** folder)
4. Copy the service pack code to the application and database servers. Unzip it to prepare for the installation.
5. For Dual Server Configuration, go to [Step 6](#). ELSE, for Single Server Configuration, go to [Step 7](#).

For Dual Server Configuration, follow the steps given below:

- **ON THE DATABASE SERVER**
  - A. Close all open applications and windows on the database server. Run the C8 Server Installer as Administrator.
  - B. The **Welcome** dialog box is displayed. To begin installation, read the contents of the *Welcome Page* and click on **Next**. The **End User License Agreement** dialog box is displayed.

- C. To accept the license agreement, read the license agreement and click on **Yes**. The **User Information** dialog box is displayed.
- D. Enter your user name and company name in the corresponding **Name** and **Company** fields and click on **Next**. The **Choose Destination Location** dialog box is displayed.
- E. To accept the default destination folder, click on **Next**. ELSE, to select a different destination folder, click on **Browse**. Click on **Next**. The **Install Centric 8 or Database Only** dialog box is displayed.
- F. Click on **Database Only**, and click on **Next**. The **Select Database Type** dialog box is displayed.
- G. Select the required Database type and click on **Next**.
- H. Enter the required Database details and click on **Next**.
- I. In the **Server Information** dialog box, enter the server login and password details, and click on **Next**.
- J. The **Enter Centric 8 Administrator Username and Password** dialog box is displayed.
- K. Enter details in the **Username, Password and Confirm Password** fields, and click on **Next**. The **Enter Centric 8 Database Information** dialog box is displayed.
- L. Enter details in the **Username, Password and Confirm Password** fields, and click on **Next**. The **Choose New or Existing Database** dialog box is displayed.
- M. Select the **Use Existing Database** option and click on **Next**.
- N. To accept the default destination folder, click on **Next**. Else, to select a different destination folder, click on **Browse**. The **Select Program Folder** dialog box is displayed.
- O. To use the default program folder, click on **Next**. ELSE, select a different program folder from the list under Existing Folders, and click on **Next**. The **Check Setup Information** dialog box is displayed.
- P. Verify the details under **Current Settings**. To make changes, click on the **Back** button. ELSE, to continue with the installation, click on **Next**. On completion of the installation, the **Setup Complete** dialog box is displayed.
- Q. Click on **Finish**.
- R. For detailed instructions on Oracle, refer the “Centric 8 Installation Guide”.

## ▪ ON THE APPLICATION SERVER



Please verify that all the file paths that appear during the installation process are as required and are correct.

- A. Close all open applications and windows on the application server. Run the C8 Server Installer as Administrator.
- B. The **Welcome** dialog box is displayed. To begin installation, read the contents of the *Welcome Page* and click on **Next**. The **End User License Agreement** dialog box is displayed. Read the details of the license agreement and click on **Yes** to accept the License agreement. The **User Information** dialog box is displayed.
- C. Enter your user name and company name in the corresponding fields, and click on **Next**. The **Choose Destination Location** dialog box is displayed.
- D. To accept the default destination folder, click on **Next**. ELSE, to select a different destination folder, click on **Browse**. Click on **Next**. The **Install Centric 8 or Database Only** dialog box is displayed. Select **Centric 8** option and click on **Next**.
- E. Click on the **Use Installed Wildfly** option and click on **Next**.
- F. If you do not have the Java Development Kit (JDK) version 1.8.0\_45 installed on your system, the **Choose Java Development Kit (JDK) Installation directory** dialog box will be displayed. Click on **Next**. The **Select Authentication Mode** dialog box is displayed.
- G. Choose the required **Authentication** type and click on **Next**. If **LDAP Authentication** is selected, enter LDAP information and click on **Next**. Select the required **Database** type and click on **Next**.
- H. Choose the **Remote Database** option and click on **Next**. Enter the **Remote Database Server** details and click on **Next**.
- I. The **Enter Centric 8 Administrator Username and Password** dialog box is displayed. Enter details in the **Password** and **Confirm Password** fields, and click on **Next**.  
**Note:** Ensure that the Username and Password details are not identical.
- J. The **Enter Centric 8 Database Information** dialog box is displayed. Enter details in the **Password** and **Confirm Password** fields, and click on **Next**.
- K. The **Choose Filevault Location** dialog box is displayed. Click on **Next** to accept the default destination folder or click on **Browse** and select the right location, click **Next**.

- L. The **Choose WebAccess Location** dialog box is displayed. Click on **Next** to accept the default destination folder or click on **Browse** and select the right location if the WebAccess directory has to be configured under a different directory in the same machine or shared directory in a different machine, and click **Next**.
  - M. The **Enter SMTP Mail Server name and Email Address** dialog box is displayed.
  - N. Enter your SMTP mail server name and email address in the corresponding fields, and click on **Next**. The **Select Program Folder** dialog box is displayed.
  - O. To use the default program folder, click on **Next**. The **Check Setup Information** dialog box is displayed.
  - P. Verify the details under **Current Settings**. To make changes, click on **Back**. Else, to begin installation, click on **Next**. On completion of the installation, the **Setup Complete** dialog box is displayed.
  - Q. Click on **Finish**.
  - R. Unzip **ApparelSiteConfigurations.zip** to ...\**C8\WebAccess** folder. When prompted to overwrite, click on **OK** to overwrite the target files.
  - S. Copy back **Site.js**, **Site.xml**, **Site.css**, **en.js**, and **UploadOMAndTemplates.xml** to the WebAccess folder. When prompted to overwrite, click on **OK** to overwrite the target files.
  - T. On the Application server run the C8 Application installer as Administrator, select the **Update Configuration** option and complete the installation process.
  - U. Start Centric Wildfly Service; ensure that there are no errors in the **pi\_centric.log** file.
  - V. Log into C8 application and run **Update Configuration**.
  - W. Go to [Step 8](#).
6. For Single Server Configuration, follow the steps given below:
- **SINGLE SERVER CONFIGURATION**  
For a Single Server configuration where the application server and database server are on the same computer follow these steps:
    - A. Close all open applications and windows on the application server. Run the C8 Server Installer as Administrator.
    - B. The **Welcome** dialog box is displayed. To begin installation, read the contents of the Welcome Page and click on **Next**. The **End User License Agreement** dialog box is displayed.



- C. To accept the license agreement, read the license agreement and then click on **Yes**. The **User Information** dialog box is displayed.
- D. Enter your user name and company name in the corresponding **Name** and **Company** fields, and click on **Next**. The **Choose Destination Location** dialog box is displayed.
- E. To accept the default destination folder, click on **Next**. ELSE, to select a different destination folder, click on **Browse**. Click on **Next**. The **Install Centric 8 or Database Only** dialog box is displayed.
- F. Select **Centric 8 (includes database)** and then click on **Next**.
- G. The **Choose New or Existing Application Server** dialog box is displayed.
- H. Click on **Use Installed Wildfly** option and click on **Next**.
- I. If you do not have the Java Development Kit (JDK) version 1.8.0\_45 installed on your system, the **Choose Java Development Kit (JDK) Installation directory** dialog box is displayed. Click on **Next**. The **Select Authentication Mode** dialog box is displayed.
- J. Choose the required **Authentication** type and click on **Next**. If **LDAP Authentication** is selected, enter LDAP information and click on **Next**.
- K. The **Select Database Type** dialog box is displayed.
- L. Select the required **Database Server Type** and click on **Next**.
- M. The **Choose Database Server Location** dialog box is displayed.
- N. Enter the required **Database Server Information**. Click on **Next**.
- O. The **Enter Centric 8 Administrator Username and Password** dialog box is displayed. Enter details in the **Username, Password and Confirm Password** fields; click on **Next**.
- P. The **Enter Centric 8 Database Information** dialog box is displayed.
- Q. Enter details in the Username, Password and Confirm Password fields. Enter the **Database Name** and click on **Next**.
- R. Select **Use Existing Database** option and click on **Next**.
- S. The **Choose Filevault Location** dialog box is displayed. Click on **Next** to accept the default destination folder or click on **Browse** and select the right location, click **Next**.
- T. The **Choose WebAccess Location** dialog box is displayed. Click on **Next** to accept the default destination folder or click on **Browse** and select the right location if the WebAccess directory has to be configured under a different directory in the same machine or shared directory in a different machine, and click **Next**.

- U. The **Enter SMTP Mail Server name and Email Address** dialog box is displayed.
  - V. Enter your SMTP mail server name and email address in the corresponding fields, and click on **Next**. The **Select Program Folder** dialog box is displayed.
  - W. To use the default program folder, click on **Next**. The **Check Setup Information** dialog box is displayed.
  - X. The **Check Setup Information** dialog box is displayed. Verify the details under **Current Settings**. To make changes, click on **Back**. ELSE, to proceed, click on **Next**.
  - Y. To complete installation, click on **Finish**.
  - Z. Unzip **ApparelSiteConfigurations.zip** to ...\**C8\WebAccess** folder. When prompted to overwrite, click on **OK** to overwrite the target files.
  - AA. Copy back **Site.js**, **Site.xml**, **Site.css**, **en.js**, and **UploadOMAndTemplates.xml** to the **WebAccess** folder. When prompted to overwrite, click on **OK** to overwrite the target files.
  - BB. On the Application server run the C8 Application installer as Administrator, select the **Update Configuration** option and complete the installation process.
  - CC. Start Centric Wildfly Service; ensure that there are no errors in the **pi\_centric.log** file.
  - DD. Log into C8 application and run **Update Configuration**.
7. Please notify users to clear browser cache before using the Application.
  8. To **update the Centric PDF Service**, refer to “PDF Service Installation Guide” for detailed instructions.
  9. To **update the Centric Image Service**, refer to “Image Service Installation Guide” for detailed instructions.



# CentricSoftware™

## **Centric Software, Inc.**

655, Campbell Technology Parkway,  
Suite 200, Campbell. CA 95008  
Phone: 1.408.574.7802

## **Technical Support**

1.866.796.6218  
8:00 AM - 8:00 PM EST  
Email: [support@centricsoftware.com](mailto:support@centricsoftware.com)

## **Documentation Feedback**

Email: [documentation@centricsoftware.com](mailto:documentation@centricsoftware.com)